

Packets concepts

Published: 2020-02-21

With an ExtraHop Trace appliance connected to a Discover appliance, you can search for and download packets for selected transactions through the Packets feature in the ExtraHop Web UI. The downloaded packets can then be analyzed through a third-party tool, such as Wireshark.

You must have a configured ExtraHop Trace appliance before you can store and query for packets. See our [deployment guides](#) to get started.

You can launch a quick packet query for the current time interval by clicking **Packets** from the top menu. The ExtraHop system queries packets for the selected time interval, such as the last 30 minutes, and displays the Packet Query page. If you change the time interval, the query starts again. Either end of the gray bar displays a timestamp, which is determined by the current time interval. The time on the right displays the starting point of the query and the time on the left displays the endpoint of the query. The blue bar indicates the time range during which the system found packets. You can drag to zoom on a period of time in the blue bar to run a query again for that selected time interval.


The following figure provides an overview of the Packet Query page and features:

The screenshot shows the ExtraHop Packets query interface. At the top, there are navigation tabs: Dashboards, Metrics, Records, and Packets. Below the navigation, there's a search bar and a 'Search...' button. The main area is titled 'Packet Query' and shows a time range from 'Jun 30, 12:43:43 pm' to 'Jun 30, 1:13:43 pm'. A blue bar indicates the time range where packets were found. Below the time range, there's a filter for 'IP Address' with a search field and an 'Add Filter' button. A table of packet details is shown, with columns for Time, Src IP, Dst IP, IP Proto, Src Port, Dst Port, Flags, Bytes, Src MAC, Dst MAC, EtherType, and VLAN ID. The table shows several TCP packets with various flags and MAC addresses.


Tip: Filter packets with Berkeley Packet Filter syntax [🔗](#).

There are multiple locations in the ExtraHop Web UI from which you can initiate a packet query:

- Type an IP address in the global search field and then select the Search Packets icon .



- Click **Packets** from the upper right corner of a device page.



- Click the Packets icon (🎯) next to any record on a record query results page. (Only available with a connected Explore appliance.)

Any Field =

| Packets | Time | Record Type |
|---------|-------------------------|-------------|
| 🎯 | 2017-07-03 15:52:13.744 | HTTP |
| 🎯 | 2017-07-03 15:52:13.744 | HTTP |
| 🎯 | 2017-07-03 15:52:13.742 | Flow |
| 🎯 | 2017-07-03 15:52:13.742 | Flow |
| 🎯 | 2017-07-03 15:52:13.742 | DB |

- Click on an IP address or hostname in any chart with metrics for network bytes or packets by IP address to see a context menu. Then, select the Packets icon (🎯) to query for the device and time interval.

XenApp Client Network Health & Citrix Performance Impact ▾

Network Retransmissions ▾

192.168.2.128
192.168.6.180
192.168.10.211
192.168.2.11

Internal Client Dropped Packets ▾

192.168.6.180

Application Slowdowns ▾

192.168.2.128

Drill down by...

- Group Member
- Packets

Go to device...

- [Device 0200c0a802800000 - TCP](#)
- [Create chart from...](#)