

# Deploy the ExtraHop Discover Appliance in AWS

Published: 2020-02-22

The following procedure guides you through the deployment process of the ExtraHop Discover appliance AMI to monitor your Amazon Web Services (AWS) environment.

After you deploy the Discover appliance in AWS, configure remote packet capture (RPCAP) to forward traffic from remote devices to your virtual Discover appliance. For more information, see the [Packet Forwarding with RPCAP](#) guide.

## System requirements

Your environment must meet the following requirements to deploy a virtual Discover appliance in AWS:

- An AWS account
- Access to the Amazon Machine Image (AMI) of the ExtraHop Discover appliance
- A Discover appliance product key
- An AWS instance type that most closely matches the Discover appliance VM size, as follows:

| Appliance | Recommended Instance Type          |
|-----------|------------------------------------|
| EDA 1000v | m4.large (2 vCPU and 8 GB RAM)     |
| EDA 2000v | m4.xlarge (4 vCPU and 16 GB RAM)   |
| EDA 6100v | c4.8xlarge (36 vCPU and 60 GB RAM) |

 **Note:** M5 instance types are not currently supported.

## Create the ExtraHop instance in AWS

### Before you begin

The Amazon Machine Images (AMIs) of ExtraHop appliances are not publicly shared. Before you can start the deployment procedure, you must send your AWS account ID to [support@extrahop.com](mailto:support@extrahop.com). Your account ID will be linked to the ExtraHop AMIs.

1. Sign in to AWS with your username and password.
2. Click **EC2**.
3. In the left navigation panel, under **Images**, click **AMIs**.
4. Above the table of AMIs, change the **Filter** from **Owned by Me** to **Private Images**.
5. In the filter box, type **ExtraHop** and then press ENTER.
6. Select the checkbox next to the appropriate ExtraHop Discover appliance AMI and click **Launch**.
7. Select a [supported instance type](#) for the appliance you are deploying.
8. Click **Next: Configure Instance Details**.
9. Click the **Network** drop-down list and select **Launch into EC2-Classic** or one of the VPCs for your organization.

 **Note:** If you launch into EC2-Classic, you will not get support for Enhanced Networking.

10. From the Shutdown behavior drop-down list, select **Stop**.
11. Click the **Protect against accidental termination** checkbox.

12. Click the **IAM role** drop-down list and select an IAM role.
13. If you launched into a VPC and want to have more than one interface, scroll down to the **Network Interfaces** section and click **Add Device** to add additional interfaces to the instance.



**Note:** If you have more than one interface, make sure that each interface is on a different subnet.

14. On the **Configure Instance Details** page, click **Next: Add Storage**. The default storage capacities are listed below.

| Product   | Default Storage Capacity |
|-----------|--------------------------|
| EDA 1000v | 61 GB                    |
| EDA 2000v | 276 GB                   |
| EDA 6100v | 1000 GB                  |

15. Accept the default storage settings and click **Next: Tag Instance**.
16. In the **Value** field, enter a name for the instance.
17. Click **Next: Configure Security Group**.
18. On the **Configure Security Group** page, follow the procedure below with the table that follows to create a new security group or add ports to an existing group. If you already have a security group with the required ports for ExtraHop, you can skip this step.
  - a) Select either **Create a new security group** or **Select an existing security group**. If you choose to edit an existing group, select the group you want to edit. If you choose to create a new group, enter a **Security group name** and **Description**.
  - b) Click the **Type** drop-down list, and select a protocol type. Type the port number in the **Port Range** field.
  - c) For each additional port needed, click the **Add Rule** button. Then click the **Type** drop-down list, select a protocol type, and type the port number in the **Port Range** field.

The following ports need to be open for the ExtraHop AWS instance:

- **TCP ports 22, 80, and 443 inbound to the ExtraHop system:** These ports are used to download the installer and administer the ExtraHop system. If you cannot open port 80, you can copy the installer to each instance manually. For more information, see [Packet Forwarding with RPCAP](#).
- **TCP/UDP ports 2003-2034 inbound to the ExtraHop system:** You must open a port (or a range of ports) for the software tap. For more information, see [Packet Forwarding with RPCAP](#).

19. Click **Review and Launch**.
20. Select **Make General Purpose (SSD)...** and click **Next**.



**Note:** If you select **Make General Purpose (SSD)...** then you will not see this step on subsequent instance launches.

21. Scroll down to review the AMI details, instance type, and security group information, and then click **Launch**.
22. In the pop-up window, click the first drop-down list and select **Proceed without a key pair**.
23. Click the **I acknowledge...** checkbox and then click **Launch Instance**.
24. Click **View Instances** to return to the AWS Management Console.

From the AWS Management Console, you can view your instance on the **Initializing** screen. Under the table, on the **Description** tab, you can find the IP address or hostname for the ExtraHop appliance that is accessible from your environment.

### Next steps

- [Register your ExtraHop appliance](#).
- Review the [Discover and Command Post-deployment Checklist](#).

- Configure remote packet capture (RPCAP) to forward traffic from remote devices to your virtual Discover appliance. For more information, see [Packet Forwarding with RPCAP](#).