

Records

Published: 2021-08-28

Records are structured information about transaction, message, and network flows that are generated and sent from the ExtraHop system to a recordstore. After your records are collected and stored, you can query for them throughout the ExtraHop system.

Records are collected at two protocol levels: L3 and L7. L3 (or flow) records show network-layer transactions between two devices over the IP protocol. L7 records show transactions that are message-based (such as ActiveMQ, DNS, and DHCP), transactional (such as HTTP, CIFS, and NFS), and session-based (such as SSL and ICA).

For example, if you had fifty HTTP 503 errors, the related HTTP transactions would contain details about the URL, the web server, the client that sent the request, and so on. These details can help you identify the underlying problem.


Before you begin

- You must have a configured recordstore, such as an [Explore appliance](#), [Splunk](#), or [Google BigQuery](#).
- You can only configure one recordstore for the ExtraHop system.
- Your ExtraHop system must be configured to collect and store [flow records](#) or [L7 records](#).

Navigating records

Click **Records** from the top menu to create a new record query. From the New Query page, you can specify a filter and record type.

Select a field to search on



Click to start a record query

The results appear on the main Records page. You can then apply [simple](#) or [advanced filters](#) to find potential issues, such as overly-long processing times or unusual response sizes. Record query results that contain suspicious IP addresses, hostnames, and URIs appear with a red camera icon next to the record. For more information about these indicators of compromise, see [Threat intelligence](#).

Record Type
Any Type

Group by
None

Refine Results

- External Connection
 - False (991,328)
 - True (39,953)
- Record Type
 - Flow (1,031,281)

L7 Protocol ≈ HTTP 1,031,281 records

Packets	Time ↓	Record Type	L7 Protocol	Sender (Device)
	2020-12-01 10:14:59.942	Flow	HTTP	www.example.com, 12345678...
	2020-12-01 10:14:59.942	Flow	HTTP	for.example.com, 1234567891...

Note: To create a record query for a custom metric, you must first define the record relationship by [linking the custom metric to a record type](#).

Filter your records with a simple query

There are a number of ways you can filter your record query results to find the exact transaction you are looking for. The sections below describe each method and show examples you can start with to familiarize yourself.


If you are trying to filter records by simple criteria (say, if you want all HTTP transactions from a single server that generated 404s), you can create a simple query in one of the following ways:

- Add a filter or refine results from the left pane
- Add a filter from the trifield
- Add a filter directly from record results


For complex filtering, see [Query records with an advanced filter](#).

Filtering record results from the left pane

When you click **Records** from the top menu, all of the available records for your selected time interval appear. You can then filter from the left pane to refine your results.



The **Record Type** drop-down menu displays a list of all of the record types that your ExtraHop system is configured to collect and store. A record type determines what data is collected and stored in the recordstore.


 **Note:** Because you must write a trigger to collect records, you need a way to identify the type of data you will collect. There are built-in record types, which collect all of the available known fields for a protocol. You can start with a built-in record type (such as HTTP) and write a trigger to collect only the fields for that protocol that matter to you (such as URI and status code). Or, advanced users can create a custom record type if they need to collect proprietary information that is not available through a built-in record type.


The **Group By** drop-down gives you a list of fields to further filter the record type by.

The **Refine Results** section shows you a list of common record filters for the selected record type with the number of records that match the filter in parenthesis.

Filtering record results through the trifield

Select a field from the **Any Field** drop-down (such as Server), select an operator (such as the equal sign (=)), and then type a hostname. Click **Add filter**, and the filter is added above the filter bar.





Your results only show records that match the filter; in our example this means we only see results for transactions that are for the server named abc.

The following operators can be selected, based on the selected field name:

Operator	Description
=	Equals
≠	Does not equal
≈	Includes If records are stored on an Explore appliance, the includes operator matches whole words delineated by spaces and punctuation. For example, a search for "www.extra" would match "www.extra.com" but not "www.extrahop.com". For all other recordstores, the includes operator matches substrings, including spaces and punctuation. For example, a search for "www.extra" would match "www.extrahop.com", but a search for "www extra" would not match "www.extrahop.com". Regex and wildcard characters are not supported.
≈/	Excludes If records are stored on an Explore appliance, the excludes operator matches whole words delineated by spaces and punctuation. For example, a search for "extra" would exclude "www.extra.com" but not "www.extrahop.com". For all other recordstores, the excludes operator matches substrings, including spaces and punctuation. For example, a search for "www.extra" would exclude "www.extrahop.com", but a search for "www extra" would not exclude "www.extrahop.com". Regex and wildcard characters are not supported.
<	Less than

