

Configure SAML single sign-on with Google

Published: 2025-01-29

You can configure your ExtraHop system to enable users to log in to the system through the Google identity management service.

Before you begin


- You should be familiar with administering Google Admin.
- You should be familiar with administering ExtraHop systems.

These procedures require you to copy and paste information between the ExtraHop system and Google Admin console, so it is helpful to have each system open side-by-side.

Enable SAML on the ExtraHop system



1. Log in to the Administration settings on the ExtraHop system through `https://<extrahop-hostname-or-IP-address>/admin`.
2. In the Access Settings section, click **Remote Authentication**.
3. From the **Remote authentication method** drop-down menu, select **SAML**.
4. Click **Continue**.
5. Click **View SP Metadata**.
6. Copy the ACS URL and Entity ID to a text file.
You will paste this information into the Google configuration in a later procedure.

Add user custom attributes


1. Log in to the Google Admin console.
2. Click **Users**.
3. Click the Manage custom attributes icon .
4. Click **Add Custom Attribute**.
5. In the Category field, type `ExtraHop`.
6. Optional: In the Description field, type a description.
7. In the Custom fields section, enter the following information:
 - a) In the Name field, type `writelevel`.
 - b) From the **Info Type** drop-down menu, select **Text**.
 - c) From the **Visibility** drop-down menu, select **Visible to domain**.
 - d) From the **No. of values** drop-down menu, select **Single Value**.
8. Enable NDR module access:
 - a) In the Name field, type `ndrlevel`.
 - b) From the **Info Type** drop-down menu, select **Text**.
 - c) From the **Visibility** drop-down menu, select **Visible to domain**.
 - d) From the **No. of values** drop-down menu, select **Single Value**.
9. Enable NPM module access:
 - a) In the Name field, type `npmlevel`.
 - b) From the **Info Type** drop-down menu, select **Text**.
 - c) From the **Visibility** drop-down menu, select **Visible to domain**.
 - d) From the **No. of values** drop-down menu, select **Single Value**.

10. Optional: If you have connected packetstores, enable packet access by configuring a custom field:
 - a) In the Name field, type `packetslevel`.
 - b) From the **Info Type** drop-down menu, select **Text**.
 - c) From the **Visibility** drop-down menu, select **Visible to domain**.
 - d) From the **No. of values** drop-down menu, select **Single Value**.
11. Click **Add**.

Add identity provider information from Google to the ExtraHop system

1. In the Google Admin console, click the Main menu icon  and select **Apps > SAML apps**.
2. Click the Enable SSO for a SAML application icon .
3. Click **SETUP MY OWN CUSTOM APP**.
4. On the Google IdP Information screen, click the **Download** button to download the certificate (`GoogleIDPCertificate.pem`).
5. Return to the Administration settings on the ExtraHop system.
6. Click **Add Identity Provider**.
7. In the Provider Name field, type a unique name.
This name appears on the ExtraHop system login page.
8. From the Google IdP Information screen, copy the SSO URL and paste it into the SSO URL field on the ExtraHop appliance.
9. From the Google IdP Information screen, copy the Entity ID and paste into the Entity ID field on the ExtraHop system.
10. Open the `GoogleIDPCertificate` in a text editor, copy the contents and paste into the Public Certificate field on the ExtraHop system.
11. Choose how you would like to provision users from one of the following options.
 - Select **Auto-provision users** to create a new remote SAML user account on the ExtraHop system when the user first logs in.
 - Clear the **Auto-provision users** checkbox and manually configure new remote users through the ExtraHop Administration settings or REST API. Access and privilege levels are determined by the user configuration in Google.
12. The **Enable this identity provider** option is selected by default and allows users to log in to the ExtraHop system. To prevent users from logging in, clear the checkbox.
13. Configure user privilege attributes.

You must configure the following set of user attributes before users can log in to the ExtraHop system through an identity provider. Values are user-definable; however, they must match the attribute names that are included in the SAML response from your identity provider. Values are not case sensitive and can include spaces. For more information about privilege levels, see [Users and user groups](#).

 **Important:** You must specify the attribute name and configure at least one attribute value other than **No access** to enable users to log in.

In the example below, the Attribute Name field is the application attribute and the Attribute Value is the user field name configured when creating the ExtraHop application on the identity provider.

Field Name	Example Attribute Value
Attribute Name	<code>urn:extrahop:saml:2.0:writelevel</code>
System and access administration	<code>unlimited</code>
Full write privileges	<code>full_write</code>

Field Name	Example Attribute Value
Limited write privileges	limited_write
Personal write privileges	personal_write
Full read-only privileges	full_readonly
Restricted read-only privileges	restricted_readonly
No access	none

14. Configure NDR module access.

Field Name	Example Attribute Value
Attribute Name	urn:extrahop:saml:2.0:ndrlevel
Full access	full
No access	none

15. Configure NPM module access.

Field Name	Example Attribute Value
Attribute Name	urn:extrahop:saml:2.0:npmlevel
Full access	full
No access	none

16. Optional: Configure packets and session key access.

Configuring packets and session key attributes is optional and only required when you have a connected packetstore.

Field Name	Example Attribute Value
Attribute Name	urn:extrahop:saml:2.0:packetslevel
Packets and session keys	full_with_keys
Packets only	full
Packets slices only	slices
Packet headers only	headers
No access	none

17. Click **Save**.

18. [Save the Running Config](#).

Add ExtraHop service provider information to Google

- Return to the Google Admin console and click **Next** on the Google Idp Information page to continue to step 3 of 5.

Step 2 of 5

✕

Google IdP Information

Choose from either option to setup Google as your identity provider. Please add details in the SSO config for the service provider. [Learn more](#)

Option 1

SSO URL `https://accounts.google.com/o/saml2/idp?idpid=C01ntthr1`

Entity ID `https://accounts.google.com/o/saml2?idpid=C01ntthr1`

Certificate **Google_2020-10-31-123717_SAML2.0**


Expires Oct 31, 2020

 **DOWNLOAD**

OR

Option 2

IDP metadata

 **DOWNLOAD**

PREVIOUS

CANCEL

NEXT

2. In the Application Name field, type a unique name to identify the ExtraHop system. Each ExtraHop system that you create a SAML application for needs a unique name.
3. Optional: Type a description for this application or upload a custom logo.
4. Click **Next**.
5. Copy the Assertion Consumer Service (ACS) URL from the ExtraHop system and paste into the ACS URL field in Google Admin.



Note: You might need to manually edit the ACS URL if the URL contains an unreachable hostname, such as the default system hostname `extrahop`. We recommend that you specify the fully qualified domain name for the ExtraHop system in the URL.

6. Copy the SP Entity ID from the ExtraHop system and paste into the Entity ID field in Google Admin.
7. Select the **Signed Response** checkbox.
8. In the Name ID section, leave the default **Basic Information** and **Primary Email** settings unchanged.
9. From the **Name ID Format** drop-down menu, select **PERSISTENT**.
10. Click **Next**.
11. On the Attribute Mapping screen, click **ADD NEW MAPPING**.
12. Add the following attributes exactly as shown.

The first four attributes are required. The `packetslevel` attribute is optional and is only required if you have a connected packetstore. If you have a packetstore and you do not configure the

`packetslevel` attribute, users will be unable to view or download packet captures in the ExtraHop system.

Application Attribute	Category	User Field
<code>urn:oid:0.9.2342.1920030001.1.1</code>	Basic Information	Primary Email
<code>urn:oid:2.5.4.4</code>	Basic Information	Last Name
<code>urn:oid:2.5.4.42</code>	Basic Information	First Name
<code>urn:extrahop:saml:2.0:writelevel</code>	ExtraHop	writelevel
<code>urn:extrahop:saml:2.0:ndrlevel</code>	ExtraHop	ndrlevel
<code>urn:extrahop:saml:2.0:npmlevel</code>	ExtraHop	npmlevel
<code>urn:extrahop:saml:2.0:packetslevel</code>	ExtraHop	packetslevel

13. Click **Finish** and then click **OK**.
14. Click **Edit Service**.
15. Select **On for everyone**.
16. Click **Save**.

Assign user privileges

1. Click **Users** to return to the table of all users in your organizational units.
2. Click the name of the user you want to allow to log in to the ExtraHop system.
3. In the User information section, click **User details**.
4. In the ExtraHop section, click **writelevel** and type one of the following privilege levels.
 - unlimited
 - full_write
 - limited_write
 - personal_write
 - full_readonly
 - restricted_readonly
 - none

For information about user privileges, see [Users and user groups](#).

5. Optional: If you added the `packetslevel` attribute above, click **packetslevel** and type one of the following privileges.
 - full
 - full_with_write
 - none

ExtraHop

writelevel

full_write

packetslevel

full

6. Optional: If you added the `detectionslevel` attribute above, click **detectionslevel** and type one of the following privileges.
 - `full`
 - `none`
7. Click **Save**.

Log in to the ExtraHop system

1. Log in to the ExtraHop system through `https://<extrahop-hostname-or-IP-address>`.
2. Click **Log in with** `<provider name>`.
3. Sign in to your provider with your email address and password. You are automatically directed to the ExtraHop Overview page.