

Monitor load balancer performance in a dashboard

Published: 2020-02-22

During times of high demand on an application or service, you can configure a load balancer to help with service reliability and hardware optimization. A load balancer is a set of resources, such as servers, that absorb a large burst of HTTP, DNS, LDAP, or other types of requests.

But how well is the load balancer you designed actually working? Before a campaign launch or marketing event, how can you confirm that your load balancer won't be a bottleneck for increased traffic? Build a dashboard!

Dashboards include multiple types of charts that reveal information about the volume of requests and traffic routed on your network, which can shed light on the effectiveness of load balancing.

This walkthrough shows you how to create a dashboard, create a device group, and then drill down on server metrics to answer the following questions:

- How much traffic is my load balancer handling?
- How well is my virtual load balancer working?
- Are back-end servers experiencing issues?

Prerequisites

- You must have access to an ExtraHop Discover appliance with a user account that has limited or full write privileges.
- You should have already configured a server-side load balancer and you will need to know the virtual IP address (VIP) on the load balancer as well as the IP addresses or name of each back-end server.
- Familiarize yourself with [Dashboards concepts](#).

Create a dashboard

Let's create a dashboard to display helpful visualizations about load balancer performance metrics.

1. At the top of the page, click **Dashboards**.
2. On the bottom left of the Dashboard page, click **New Dashboard**.
3. In the Title field of Dashboard Properties, type a name for your dashboard. For this walkthrough, type **HTTP Load Balancer**.
4. Click **Create**. When you create a new dashboard, a workspace opens in an editable layout mode. This workspace contains a single region and two empty widgets: a chart and a text box.
5. Text box widgets can include custom explanatory text about a dashboard or chart. For this walkthrough, however, we won't be adding text. Delete the text box by completing the following steps:
 - a) Click the command menu in the upper right corner of the text box widget and select **Delete**.
 - b) Click **Delete Widget**.


Next, we'll add HTTP request metrics to the empty chart to see how much web traffic is reaching the front-end VIP.

How much web traffic is my load balancer handling?


Let's monitor the number of HTTP requests that are received by your front-end virtual load balancer.

1. Click the empty chart widget in your newly created dashboard to open the Metric Explorer.

2. Click **Add Source**.
3. In the Sources field, type the virtual IP address of the load balancer to filter the results, and then select the virtual load balancer device, as shown in the following figure.



4. In the Metrics field, type `http requests` to filter the results, and then select **HTTP Server Requests**.





5. Click **Save**.
6. Click **Exit Layout Mode** in the upper right corner.
Next, we'll create a device group with back-end servers, which can be added to our dashboard.

Create a device group for back-end servers

Our example load balancer consists of a single front-end virtual server and three back-end servers that host web services. To make it easier to build dashboard charts for back-end servers, we'll first create a device group. A device group in the ExtraHop system combines all the metrics associated with several devices into one source.


1. Log into the Web UI on a Discover or Command appliance and then click **Metrics** at the top of the page.
2. In the left pane, click **Device Groups**.
3. In the upper right corner of the page, click **Create Device Group**.




4. In the Name field, type a name for the device group. For this walkthrough, type **LB Servers**.
 5. In the Group Type field, leave **Static (add and remove devices manually)** selected.
 6. Optional: Type a description for your device group. This description appears in search results.
 7. Click **OK**. Your new device group has been created and is empty.
 8. Next, find each back-end server in the ExtraHop system and add it to the LB Servers device group by completing the following steps:
 - a) In the left pane, click **Devices**.
 - b) In the search field at the top of the page, type the server name or IP address and then click **Search**.
 - c) Select the checkbox next to the server name. You can select more than one device.
 - d) In the upper right corner, click the **Assign to Group**  icon. Click the Group drop-down list, select **LB Servers**, and then click **Add to Group**.
 - e) Repeat these steps as necessary to add all the back-end servers to the LB Servers device group.
- Next, we'll select the LB Servers device group as the metric source for dashboard charts.


How well is my load balancer working?

Let's add a bar chart to the dashboard to see how well the front-end load balancer is distributing web requests to each back-end server.


1. Click **Dashboard** at the top of the page and then **HTTP Load Balancer** in the left pane.
2. Click the command menu  in the upper right corner and select **Edit Layout**.
3. From the bottom of the page, click and drag a chart widget into the empty space next to the first chart.




4. Click the empty chart.
5. Click **Add Source** and type `lb servers` to filter the results, and then select the **LB Servers** device group.




6. Type `http requests` to filter results and then select **HTTP Requests**.
7. In the Details section, click the **Drill down by None** drop-down list and then select **Group Member**.



8. From the bottom of the page, click the **Bar** chart.




9. Click **Save** and then click **Exit Layout Mode**.
Your dashboard is complete!




Are back-end servers experiencing issues?

In the LB Servers HTTP Server Requests chart, we see one server handling more HTTP requests than the other servers. To understand what potential issues might be linked to the high number of requests, we'll interact with the chart data to learn more.


1. Click the server name in the chart to drill down. A drop-down menu appears.



- Select a key in the Drill down by... section, such as **URI**. A detail page appears. The following figure shows an example of a detail page that displays all HTTP requests received by the busy server, broken down by URI.



- Click **Back to dashboard** in the upper left corner of the detail page.



- Click the server name in the chart again, and then select the device name in the Go to device... section.

LB Servers HTTP Server Requests ▾

web1-nyc

web2-lon

web1-sea

11,551

Drill down by...

- URI
- Client
- Referer
- Method
- Host

Records


Packets

Go to device...

web1-nyc - HTTP Server

Create chart from...


A protocol page for the server appears containing different metrics, as shown in the following figure. Click **HTTP** in the left pane in the Server Activity section to view additional metrics associated with the HTTP protocol, such as Responses, Errors, and Server Processing Time.



From this protocol page, we see that the server is responding to requests without errors, but the server is taking almost a second to process requests. We can now follow up with the appropriate team to make sure that server processing time doesn't become an issue.

Troubleshoot load balancer issues

You now have several charts to consult when a slow load balancer is reported. The following table includes suggestions for interpreting chart data and then troubleshooting issues.

Potential Issue	Look at dashboard metrics	Follow-up action
A high volume of web traffic	Review your line chart that contains the number of HTTP requests received by the front-end load balancer. Change the time interval  to see how the number of requests change over time.	If you want to see which clients, URIs, referrers are associated with the highest number of requests, click the Request metric label in the chart legend. A drop-down menu appears with drill-down options.
Traffic is not evenly distributed across back-end servers	Review the bar chart that contains a breakdown of HTTP requests received by back-end servers. Is one server receiving more requests than the others?	Not all load balancers are set up to equally balance requests. For example, a load balancer might be configured with a “sticky sessions” rules, where the distribution of requests are not perfectly identical across all servers. Follow up with your load balancer team to find out.