

Create a device group through the REST API

Published: 2022-05-20

You can create a large number of complex device groups through the REST API by referencing a CSV file exported from a third-party application. In this topic, we show methods for creating a device group through both the ExtraHop REST API Explorer and a Python script.

Create a device group through the REST API Explorer

! **Important:** The REST API Explorer is not available on Reveal(x) 360.

1. In a browser, navigate to the REST API Explorer.

The URL is the hostname or IP address of your ExtraHop system, followed by `/api/v1/explore/`. For example, if your hostname is `seattle-eda`, the URL is `https://seattle-eda/api/v1/explore/`.

2. Click **Enter API Key** and then paste or type your API key into the **API Key** field.
3. Click **Authorize** and then click **Close**.
4. Click **Device Group** and then click **POST /devicegroups**.
5. Click **Try it out**.

The JSON schema is automatically added to the body parameter text box.

6. In the body field, specify properties for the device group that you want to create.

For example, the following body creates a device group that includes CIDR blocks `192.168.0.0/26`, `192.168.0.64/27`, and `192.168.0.96/30`:

```
{
  "name": "New group",
  "description": "A newly created group",
  "filter": {
    "rules": [
      {
        "field": "ipaddr",
        "operand": "192.168.0.0/26",
        "operator": "="
      },
      {
        "field": "ipaddr",
        "operand": "192.168.0.64/27",
        "operator": "="
      },
      {
        "field": "ipaddr",
        "operand": "192.168.0.96/30",
        "operator": "="
      }
    ],
    "operator": "or"
  }
}
```

7. Click **Send Request**.

Retrieve and run the example Python script


The ExtraHop GitHub repository contains an example Python script that creates device groups by reading criteria from a CSV file that meets the following specifications:

1. Go to the [ExtraHop code-examples GitHub repository](#) and download the `create_device_groups/create_device_groups.py` file to your local machine.
2. In the directory you copied the `create_device_groups.py` to, create a CSV file that meets the following specifications:

- The CSV file must not contain a header row.
- Each row of the CSV file must contain the following three columns in the specified order:


Device group name	Description	IP address or CIDR block
-------------------	-------------	--------------------------

- Each column after the first required three columns must specify an IP address or CIDR block for the device group.

 **Note:** For an example of a compatible CSV file, see the `create_device_groups/device_group_list.csv` file in the ExtraHop code-examples GitHub repository.

3. In a text editor, open the `create_device_groups.py` file and replace the following configuration variables with information from your environment:
 - **HOST:** The IP address or hostname of the ExtraHop system
 - **API_KEY:** The API key
 - **CSV_FILE:** The file that contains the list of device groups
4. Run the following command:

```
python create_device_groups.py
```

 **Note:** If the script returns an error message that the SSL certificate verification failed, make sure that [a trusted certificate has been added to your ExtraHop system](#). Alternatively, you can add the `verify=False` option to bypass certificate verification. However, this method is not secure and not recommended. The following code sends an HTTP GET request without certificate verification:

```
requests.get(url, headers=headers, verify=False)
```